## **CLAIMS**

- 1. A modified pro-α chain comprising a triple helical forming domain linked to at least one N-terminal domain characterised in that the N-terminal domain contains a polypeptide sequence from at least part of a laminin glycoprotein or at least part of a secretory leukocyte protease inhibitor or functional derivatives thereof.
- 2. A modified pro- $\alpha$  chain as claimed in claim 1 wherein the triple helical forming domain is from a fibrillar forming pro- $\alpha$  chain.
- 3. A modified pro- $\alpha$  chain as claimed in claim 2 wherein the triple helical forming domain is from a type I, II, III, V or XI pro- $\alpha$  chain.
- 4. A modified pro-α chain as claimed in claim 3 wherein the triple helical forming domain is from a proα1 (III) chain.
- 5. A modified pro-α chain as claimed in any one of claims 1 to 4 wherein the N-terminal domain comprises a part of a laminin molecule.
- 6. A modified pro- $\alpha$  chain as claimed in claim 5 wherein the N-terminal domain is derived from the globular domains of an  $\alpha$ -chain of a laminin molecule.
- 7. A modified pro- $\alpha$  chain as claimed in claim 6 wherein the N-terminal domain comprises the amino acid sequence for at least the G3 globular domain of the  $\alpha$ -chain.
- 8. A modified pro-α chain as claimed in claim 6 wherein the N-terminal comprises the amino acid sequence for the G1 to G3 domains.
- 9. A modified pro- $\alpha$  chain as claimed in any one of claims 5 to 8 wherein N-terminal sequence of the pro- $\alpha$  chain is replaced with at least part of the amino acid sequence of the globular chain of Laminin-5.

- 10. A modified pro-α chain as claimed in any one of the preceding claims wherein the procollagen N-propeptide sequence is replaced prior to N100 with the sequence for the laminin glycoprotein.
- 11. A modified pro-α chain as claimed in claim 1 wherein the entire sequence of secretory leukocyte protease inhibitor is attached to the N-terminal domain.
- 12. A modified pro-α chain as claimed in any one of claims 1 to 11 wherein a N-proteinase cleavage site associated with the N-terminal propertide domain is modified such as to alter the domain's susceptibility to cleavage.
- 13. A modified pro-α chain as claimed in claim 12 wherein the N-proteinase cleavage site is modified such that the domain may not be cleaved.
- 14. A modified pro-α chain as claimed in claim 13 wherein a region between the helical forming domain and the N-propertide forming domain of the pro-α chain is modified to confer resistance to N-proteinases.
- 15. A modified pro-α chain as claimed in claim 14 wherein Pro-Gln in the region is altered to Leu-Pro.
- 16. A modified pro-α chain as claimed in claim 8 wherein the N-terminal domain contains the amino acids of SEQ ID NO: 10.
- 17. A modified pro-α chain as claimed in claim 7 wherein the N-terminal domain contains the amino acids of SEQ ID NO:14.
- 18. A modified pro- $\alpha$  chain as claimed in claim 11 wherein the N-terminal domain contains the amino acids of SEQ ID NO:27.
- 19. A DNA molecule encoding modified pro-α chains as defined by any one of claims 1 to 18.
- 20. A DNA molecule encoding modified pro-α chains as claimed in claim 19 characterised in that the molecule includes the bases of SEQ ID NO: 9.

- 21. A DNA molecule encoding modified pro-α chains as claimed in claim 19 characterised in that the molecule includes the bases of SEQ ID NO: 13.
- 22. A DNA molecule encoding modified pro-α chains as claimed in claim 19 characterised in that the molecule includes the bases of SEQ ID NO: 26.
- 23. A procollagen molecule comprising a trimer of pro- $\alpha$  chains characterised in that at least one of the pro- $\alpha$  chains is a modified pro- $\alpha$  chain as defined by any one of claims 1 to 18.
- 24. A procollagen molecule as claimed in claim 23 wherein the C-terminal domain of the molecule is removed.
- 25. A collagen polymer comprising collagen monomers wherein at least some of the collagen monomers contained therein have retained N-propertides characterised in that at least some of the retained N-propertides contain a polypertide sequence from at least part of a laminin glycoprotein or at least part of a secretory leukocyte protease inhibitor or functional derivatives thereof.
- 26. A collagen polymer as claimed in claim 25 wherein the collagen monomers having retained propeptide domains are derived from procollagen molecules as defined by claim 23 or claim 24.
- 27. A collagen matrix comprising collagen monomers having modified propeptide domains derived from procollagen molecules as defined by claim 23 and claim 24.
- 28. A dressing comprising collagen polymers as defined by claim 26 or a collagen matrix as defined by claim 27.
- 29. The use of a modified pro-α chain, procollagen molecule, polymer, matrix or dressing according to any one of the preceding claims for the treatment of medical conditions.

- 30. The use of a modified pro-α chain, procollagen molecule, polymer, matrix or dressing according to any one of claims 1 to 28 for the manufacture of a medicament for use in the treatment of wounds or fibrotic disorders.
- 31. A method of treating a wound or fibrotic disorder comprising administering to a subject in need of such treatment a therapeutically effective amount of a modified pro- $\alpha$  chain, procollagen molecule, polymer, matrix or dressing according to any one of claims 1 to 28.
- 32. An artificial skin/tissue comprising a collagen matrix according to claim 27.
- 33. A body implant comprising a collagen matrix according to claim 27.
- 34. The use of a collagen matrix, artificial skin/tissue or a body implant according to claim 27, claim 32 or claim 33 for the treatment of medical conditions.
- 35. A delivery system for use in gene therapy technique, said delivery system comprising a DNA molecule according to any one of claims 19 to 22 which is capable or being transcribed to lead the expression of the modified pro- $\alpha$  chain at a wound site or site of fibrosis.
- 36. The use of a delivery system as defined in claim 35 in the manufacture of a medicament for treating wounds or fibrotic disorders.
- 37. A method of treating a wound or fibrotic condition comprising administering to a patient in need of treatment a therapeutic dose of a delivery system as defined in claim 35.